## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

Claims 1-11 (canceled)

Claim 12 (currently amended): The process according to claim 24, wherein the initiator molecule comprises a chlorosilane, an alkoxysilane, a disulphide or a thiol group.

Claim 13 (currently amended): The process according to claims 24 or 12 wherein the initiator <u>molecule</u> comprises a group chosen from azo groups, peroxo groups, or a ketone group in conjugation with an aromatic system.

Claim 14 (currently amended): The process according to claim 13, wherein the initiator molecule comprises a group chosen from aromatic ketones or aromatic ketones containing sulphur.

Claims 15-23 (canceled)

Claim 24 (currently amended): A process for the production of a <u>surface</u> <u>comprising polyfunctional copolymer monolayer, comprising an assembly of single copolymer chains attached to a <u>said</u> surface, wherein each <u>copolymer</u> chain comprises a <u>multitude</u> of <u>identical or different units carrying one or more</u> functional groups which allows an interaction of the <u>copolymer</u> chain with a sample or probe molecule, comprising the steps of:</u>

- a) immobilizing a monolayer of radical polymerization initiators molecules on said surface to produce an initiated surface, wherein each of said initiators molecules comprises one or more a functional groups for linkage to the surface and a functional group for subsequent initiation of a polymerization reactions on said initiated surface;
- b) initiating polymerization reactions on said initiated surface in the presence of with (a) a first set of identical or non-identical monomers, each of which comprises (1) at least one functional group which ean interacts with a sample or probe molecule and (2)

Appl. No. 09/889,935 Reply to Office Action of 28 August 2006

at least one C-C double bond, and (b) a comonomer containing at least one C-C double bond, and then

c) growing <u>co</u>polymer chains from said initiated surface in the presence of said <u>set of</u> monomers <u>and said comonomer</u> by a radical polymerization chain reaction involving reaction of the C-C double bond of said <u>set of</u> monomers and <u>said</u> comonomer;

wherein the assembly growing of the copolymer chains produced in step c) linked to said surface results in a polyfunctional single copolymer chains attached at a terminus thereof to said surface, and which interact with a sample or probe molecule on said surface monolayer.